

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	("600"/\$.ccls. "607"/\$.ccls.) and ((atrium atrial) with unidirectional with valve) and edema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 20:17
L4	3	("600"/\$.ccls. "607"/\$.ccls.) and ((atrium atrial) with unidirectional with valve) and pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 20:18
S1	1	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor adj coil) same electromagnetic) and (capacitive with sensor) and (battery with (charge chargeable recharg\$3 rechargeable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:12
S2	8	("600"/\$.ccls. "607"/\$.ccls.) and Najafi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 16:32
S3	6	("5337747"   "6101371"   "6201980"   "6268161"   "6328699"   "6567703").PN. OR ("6926670"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/29 16:33
S4	15	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor adj coil) same electromagnetic) and (battery with (charge chargeable recharg\$3 rechargeable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:04
S5	14	("600"/\$.ccls. "607"/\$.ccls.) and ishikawa.in. and coil and electromagnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:58
S6	9	("3971362"   "5446452"   "5697384"   "5724030"   "5984875"   "6015390").PN. OR ("6254548"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/29 17:07
S7	8	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor adj coil) same electromagnetic) and (capacitive with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:17

S8	17	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor adj coil) same electromagnetic) and (pressure with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:32
S9	14	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor adj coil) same electromagnetic) and (pressure with change)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:40
S10	13	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor adj coil) same (power powering energy)) and (pressure with change)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:43
S11	17	("600"/\$.ccls. "607"/\$.ccls.) and (((inductor inductance) adj coil) same (power powering energy) same electromagnetic) and (resonant passive active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:48
S13	22	("600"/\$.ccls. "607"/\$.ccls.) and (((inductor inductance) adj coil) same (active))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:52
S14	22	("600"/\$.ccls. "607"/\$.ccls.) and (((inductor inductance) with coil) same (active)) and (implant implantable implanted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 17:53
S15	8	("600"/\$.ccls. "607"/\$.ccls.) and (closed adj loop) and (atrium atrial) and (unidirectional with valve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 18:00
S16	35	("3195540"   "3942535"   "4143661"   "4275739"   "4384829"   "4457673"   "4548208"   "4665896"   "4679560"   "5314457").PN. OR ("5630836").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/29 17:58

S17	3	("600"/\$.ccls. "607"/\$.ccls.) and (barometric adj2 pressure adj2 (sensor transducer)) and (implant implantable implanted transcutaneous subcutaneous) and ((inductor inductance power) with coil)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 18:04
S19	33	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor inductance power) with coil) and ((anchor anchoring plug tine) with (atrium atrial septum septal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 18:06
S21	0	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor inductance power) with coil) and (tine same expand\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 18:06
S22	0	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor inductance power) with coil) and (tine same (expansion expand\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 18:06
S23	27	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor inductance power) with coil) and tine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 18:07
S24	148	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor inductance power) with coil) and ((anchor anchoring screw tine) same (nitinol teflon steel polymer titanium biocompatible))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 18:08
S28	330	("600"/\$.ccls. "607"/\$.ccls.) and ((inductor inductance power) with coil) and ((coating coated coat layer) with (silicone hydrogel parylene silicide titanium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 15:30
S29	2	"6855115".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 15:30

S30	8	("4127110"   "4237900"   "6025725"   "6111520"   "6113553"   "6287253"   "6442413"   "6454720").PN. OR ("6855115").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/30 15:31
S31	6	("600"/\$.ccls. "607"/\$.ccls.) and fonseca.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/30 16:09
S32	18	("600"/\$.ccls. "607"/\$.ccls.) and (resonant same passive same active) and ((inductor inductance) with (power energy coil))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 17:45
S34	1	"4026276".pn. and barometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 16:39
S35	3	chubbuck.in. and barometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 16:35
S38	100	("600"/\$.ccls. "607"/\$.ccls.) and (active) and (battery same (recharge recharging rechargeable rechargeable) same ((inductor inductance power) with coil)) and (sensor transducer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 17:58
S39	13	("600"/\$.ccls. "607"/\$.ccls.) and ((congestive adj heart adj failure) same ((change with pressure with time) "dp/dt"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 18:14
S40	83	("600"/\$.ccls. "607"/\$.ccls.) and (battery same (recharge recharging rechargeable rechargeable) same ((inductor inductance power) with coil)) and (pressure with (sensor transducer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 18:00
S41	18	("600"/\$.ccls. "607"/\$.ccls.) and ((chf) same ((change with pressure with time) "dp/dt"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 20:17